LabName	SampleID	PWSCode	PWSName	SystemSize	FacilityID	FacilityName	FacilityType	FacilityWaterType	SamplePointID	SamplePointName	SamplePointType	SampleEvent	MonitoringCode	SampleCollectionDate	MethodCode	AnalyteCode	AnalyteName	SampleAnalysisType	ResultMeasure	ResultBelowMRL	UnitOfMeasure	AnalyteStatusCode	AnalyteStatus
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 537.1	2810	PFTA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 537.1	2811	PFTrDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 537.1	2817	NEtFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 537.1	2818	NMeFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 200.7	1083	lithium	FS	15.7	N	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2802	PFHpA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2803	PFHxS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2804	PFNA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2805	PFOS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2808	PFDoA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2809	PFHxA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2812	PFUnA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2813	11Cl-PF3OUdS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2825	PFMBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2801	PFBS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2806	PFOA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2807	PFDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2814	9Cl-PF3ONS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2815	ADONA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2816	HFPO-DA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2819	PFBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2820	6:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2821	4:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2822	8:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2823	PFMPA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2824	PFPeA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2826	PFEESA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2827	NFDHA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2828	PFPeS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	127014P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE1	AM	3/11/2025	EPA 533	2829	PFHpS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 200.7	1083	lithium	FS	17.6	N	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 537.1	2810	PFTA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 537.1	2811	PFTrDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 537.1	2817	NEtFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 537.1	2818	NMeFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2816	HFPO-DA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2819	PFBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2820	6:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2821	4:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2822	8:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2823	PFMPA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2824	PFPeA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2825	PFMBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2826	PFEESA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2827	NFDHA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2828	PFPeS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2829	PFHpS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2801	PFBS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2802	PFHpA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2803	PFHxS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2804	PFNA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2805	PFOS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2806	PFOA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2807	PFDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2808	PFDoA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2809	PFHxA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2812	PFUnA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2813	11Cl-PF3OUdS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2814	9Cl-PF3ONS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	129842P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE2	AM	6/11/2025	EPA 533	2815	ADONA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 200.7	1083	lithium	FS	15.1	N	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 537.1	2810	PFTA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 537.1	2811	PFTrDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 537.1	2817	NEtFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 537.1	2818	NMeFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2801	PFBS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2802	PFHpA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2803	PFHxS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2804	PFNA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2805	PFOS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2806	PFOA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2807	PFDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2808	PFDoA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2809	PFHxA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2812	PFUnA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2813	11Cl-PF3OUdS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2821	4:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2822	8:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2823	PFMPA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2824	PFPeA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2814	9Cl-PF3ONS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2815	ADONA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2816	HFPO-DA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2819	PFBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2820	6:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2825	PFMBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2826	PFEESA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2827	NFDHA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2828	PFPeS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	132111P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE3	AM	9/16/2025	EPA 533	2829	PFHpS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2801	PFBS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2802	PFHpA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2803	PFHxS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2809	PFHxA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2804	PFNA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2805	PFOS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2806	PFOA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2807	PFDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2808	PFDoA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2812	PFUnA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2813	11Cl-PF3OUdS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2814	9Cl-PF3ONS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2815	ADONA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2816	HFPO-DA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2819	PFBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2820	6:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2821	4:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2822	8:2 FTS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2823	PFMPA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2824	PFPeA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2825	PFMBA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2826	PFEESA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2827	NFDHA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2828	PFPeS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 533	2829	PFHpS	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 537.1	2810	PFTA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 537.1	2811	PFTrDA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 537.1	2817	NEtFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 537.1	2818	NMeFOSAA	FS		Y	ug/L	32	EPA Approve / State Hold
Eaton Analytical - Pomona	134916P	KS2001520	ROSE HILL, CITY OF	M	20001	Entry Point	CC	MX	CC001	Booster Station Sample Tap	EP	SE4	AM	12/10/2025	EPA 200.7	1083	lithium	FS	13.8	N	ug/L	32	EPA Approve / State Hold